

Beilage F 3.1

Originalarbeiten (keine Abstracts keine Proceedings)

Using Contrast-enhanced Ultrasound to Evaluate Vascularisation of Acellular

Dermal Matrices after Implant-Based Breast Reconstruction.

D. Parvizi, **F. Haas**, F. Peitinger, M. Hubmer, T. Rappl, H. Koch, M. Schintler, S. Spendel,
L.P. Kamolz, P. Wurzer, A. Tuca, M. Fuchsjaeger, R. Weinke
Breast J. 2014 Sep;20(5):461-7. doi: 10.1111/tbj.12301. Epub 2014 Jul 7.

No adverse affect after harvesting of free fibula osteoseptocutaneous flaps on gait function.

W. Maurer-Ertl, M. Glehr, J. Friesenbichler, P. Sadoghi, M. Wiedner, **F. Haas**, A. Leithner,
R. Windhager, E. B. Zwick
Microsurgery 2012 Jul;32(5):364-9. doi:10.1002/micr.21959. Epub 2012 Mar 31.

Analysis of functional outcome after posttraumatic thumb reconstruction in comparison to nonreconstructed amputated thumbs at the proximal phalanx of the thumb ray: a mid-term follow-up with special attention to the Manchester-modified M2 DASH questionnaire an effect size of Cohen's d. J Trauma

D. Parvizi, H. Koch, H. Friedl, S. Spendel, M. Hubmer, I. Parvizi, E. Prandl, T. Rappl, **F. Haas**
Acute Care Surg. 2012 Feb;72(2):E33-40.

Clinical experience with a tensor fasciae latae (TFL) perforator flap based on septocutaneous perforators

M. G. Hubmer, I. Justich, **F. Haas**, H. Koch, D. Parvisi, E. Prandl, G. Feigl

J Plast Reconstr Aesthet Surg. 2011 Jun;64(6):782-9.

Instrumental gait analysis and muscle strength measurement after free osteoseptocutaneous fibula flap harvesting

W. Maurer-Ertl, M. Wiedner, **F. Haas**, R. Windhager, G. Kuerzl, A. Leithner, E.B. Zwick

J Bone Joint Surg AM Submitted (IF 3,427)

Long-term subjective and functional evaluation after thumb replantation with special attention to the Quick DASH questionnaire and a specially designed trauma score called modified Mayo score

F. Haas, M. Hubmer, T Rappl, H. Koch, I. Parvizi, D. Parvizi

J Trauma. 2011 Aug;71(2):460-6.

The vascular anatomy of the tensor fasciae latae perforator flap

M.G. Hubmer, N. Schwaiger, G. Windisch, G. Feigl, H. Koch, **F. Haas**, I. Justich, E. Scharnagl

Plast Reconstr Surg. 2009 Jul; 124(1): 181-9 (IF 2,743)

Myocutaneous flaps and proctocolectomy in severe perianal Crohn's disease – a single stage procedure

D. Schaden, G. Schauer, **F. Haas**, A. Berger

Int J Colorectal. 2007 Dec; 22(12):1453-7 (IF 1,918)

Reconstructive potential of the lateral arm flap after tumor resection

F. Haas, F. Ensat, R. Windhager, H. Stammberger, H. Koch, E. Scharnagl

Microsurgery. 2007;27(3): 166-73 (IF 1,070)

Severing of the tibial nerve with stripping of the lesser saphenous vein – a rare complication of surgery for varicosty

E.C. Prandl, M. Schintler, H. Koch, E. Scharnagl, **F. Haas**

Chirurg. 2006 Sep; 77(9): 856-57 (IF 0,489)

Pyoderma gangraenosum – eine potentiell tödlich verlaufende sterile Vaskulitis bei einem kardiochirurgischen Patienten

S. Schweiger, P. Bergmann, **F. Haas**, S. Huber, H. Mächler, B. Riegler, L. Salaymeh, F. Schwarzl, J. Smolle, A. Trantina-Yates

J Kardiol. 2005; 7-8: 183-85

Immediate functional transfer of the latissimus dorsi myocutaneous flap for reestablishment of elbow flexion in upper arm replantation. Two clinical cases

F. Haas, M. Hubmer, H. Koch, E. Scharnagl

J Trauma. 2004 Dec; 57(6): 1347-50 (IF 1,653)

The posterior interosseous artery in the distal part of the forearm. Is the term “recurrent branch of the anterior interosseous artery” justified?

M. G. Hubmer, T. Fasching, **F. Haas**, H. Koch, F. Schwarzl, A. Weiglein, E. Scharnagl

Br J Plast Surg. 2004 Oct; 57(7): 638-44 (IF 1,080)

**The Lower Trapezius Musculocutaneous Flap from Pedicled to Free Flap:
Anatomical Basis and Clinical Applications Based on the Dorsal Scapular
Artery**

F. Haas, A. Weiglein, F. Schwarzl, E. Scharnagl

Plastic and Reconstructive Surgery. 2004 May; 113(6): 1580-90 (IF 1,518)

**Necrotizing fasciitis after ambulatory phlebectomy performed with use of
tumescent anaesthesia**

M. Hubmer, H. Koch, **F. Haas**, M. Horn, O. Sankin, E. Scharnagl

J Vasc Surg. 2004 Jan; 39(1): 263-5 (IF 3,467)

Clinical Applications of the Retrograde Arterialised Veneous Flap

H. Koch, E. Scharnagl, F. X. Schwarzl, **F. Haas**, M. Hubmer, H. E. Moshammer

Microsurgery. 2004; 24(2): 118-24 (IF 0,803)

The free osteocutaneous lateral arm flap: Anatomy and clinical applications

F. Haas, T. Rappl, H. Koch, P. Pittler, E. Scharnagl

Microsurgery (2003) 23: 87-95 (IF 0,844)

**Treatment of painful neuroma by resection and nerve stump transplantation
into a vein**

H. Koch, **F. Haas**, M. Hubmer, T. Rappl, E. Scharnagl

Annals of Plastic Surgery. 2003; 51(1):45-50 (IF 0,864)

The retrograde arterialized venous flap - an experimental study

H. E. T. Moshammer, F. X. Schwarzl, **F. M. Haas**, G. Pierer, H. Mächler, M. Wiltgen, H. Koch

Microsurgery. 2003; 23:130-134 (IF 0,844)

Preserving Limb Length with an Osteomyocutaneous Autograft Salvaged from the Surgical Specimen: A Technical Note and Case Report

N. Kastner, R. Windhager, H. Welkerling, **F. Haas**

J Bone joint Surg AM. 2003; 85:2429-2433 (IF 2,138)

Reconstruction of Combined Defects of the Achilles Tendon and the Overlying Soft Tissue with a Fascia Lata Graft and a Free Fasciocutaneous Lateral Arm Flap

F. Haas, F. J. Seibert, H. Koch, M. Hubmer, H. E. T. Moshammer, G. Pierer, E. Scharnagl

Ann Plast Surg. 2003; 51(4):276-282 (IF 0,714)

2nd Stage Unreamed Tibial Nailing after Conventional and Pinless Fixex

F. J. Seibert, F. Fankhauser, G. Peicha, C. Boldin, N. Stockenhuber, H.P. Hofer, **F. Haas**

Osteo Trauma Care. 2002 10: 1-4

Thoracic wall reconstruction using both portions of the latissimus dorsi previously divided in the course of posterolateral thoracotomy

H. Koch, F. Tomaselli, G. Pierer, F. Schwarzl, **F. Haas**, F.M. Smolle-Jüttner, E. Scharnagl

European Journal of Cardiothoracic Surgery. 2002; 21:874-878 (IF 1,676)

Salvage of an ischaemic lower limb and a free flap with an arterial Y-graft

F. Haas, B. A. Hellbom, H. E. Moshammer, H. Koch, G. R. Pierer, E. Scharnagl

Scand J Plast Reconstr Surg Hand Surg. 2000 Jun; 34(2):177-180 (IF 0,477)

Iatogene Großzehennekrose nach belassener Blutsperre. Klinischer Verlauf und Rekonstruktion

F. Haas, H. Moshammer, F. Schwarzl

Der Chirurg. 1999 May; 70(5): 608-610 (IF 0.757)

Veneous thrombosis in a replanted finger with underlying factor V Leiden mutation

L. Kenner, F. Schwarzl, H. Moshammer, **F. Haas**, G. Höfler, G. Pierer

Br J Plast Surg. 1998 Jan; 51(1): 57-58 (IF 0,847)

Ulnar nerve compression in Guyon´s canal due to a haemangioma of the ulnar artery

H. Koch, **F. Haas** and G. Pierer

J Hand Surg Br. 1998 Apr; 23B(2): 242-244 (IF 0,697)

Reconstructio of a complex defect of the foot with an osteotendocutaneous lateral arm flap. Case report

H. Moshammer, B. Hellbom, F. Schwarzl, **F. Haas**, G. Pierer

Scand J Plast Reconstr Surg Hand Surg. 1997 Sep; 31(3): 271-273 (IF 0.409)

Anatomic basis of the lower trapezius musculocutaneous flap

A. Weiglein, **F. Haas**, G. Pierer

Surg Radiol Anat. 1996; 18(4): 257-261 (IF 0,306)